REMARKS

Overview

This amendment accompanies a request for continued examination. Claims 84-89, 92-94, 98-100, 102-103, 105, 108 and 110 are pending in this application. Claims 84, 92, 98, 99, and 105 have been amended. The present response is an earnest effort to place all claims in proper form for immediate allowance. Reconsideration and passage to issuance is therefore respectfully requested.

Issues under 35 U.S.C. § 103

Claims 84, 88-89, 94, 98-100, 102-103, and 110 have been rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent No. 6,393,404 to Waters et al., in view of U.S. Patent No. 5,325,293 to Dorne and U.S. Patent Number 5,823,949 to Goltra, and further in view of IBM Visualization Data Explorer QuickStart Guide, 1997 (hereinafter "QuickStart").

Waters et al. is directed towards a system and method for optimizing diagnosis procedures and reimbursement claims using a structured search space (abstract). Waters et al. builds a search tree of all possible combinations of the simple procedures and the compound procedures in a list of ordered procedures and then searches the search tree for the lowest total of values associated with the medical procedures in the list of ordered procedures so as to determine the lowest reimbursement value combination (col. 12, lines 49-67). Waters et al. does not provide for ordering of diagnosis codes associated with a procedure to create a record of a patient encounter.

Dorne et al. is directed towards a method and system for correlating billing codes with planned or performed medical procedures (Abstract). Dorne et al. does not provide for ordering of diagnosis codes associated with a procedure to create a record of a patient encounter.

Goltra is directed towards a method and apparatus for helping healthcare professionals create clinical protocols or assist in direct entry of the medical findings into a chart by intelligently prompting a health care professional with medical findings associated with one or more medical findings which have already been entered in the protocol (Abstract). Goltra further discloses that possible diagnosis are then ranked in descending point total and a predetermined plurality of the highest ranked diagnoses are selected (Abstract). Goltra, does not however, provide for ordering of diagnosis codes associated with a procedure to create a record of a patient encounter.

QuickStart makes no disclosure of procedure codes or diagnosis codes and thus also does not disclose providing for ordering of diagnosis codes associated with a procedure to create a record of a patient encounter.

In fact, none of the references cited by the Examiner provide for ordering of diagnosis codes associated with a procedure after they have been received. None of the cited references, alone or in combination, teach "providing a user interface adapted for ranking the plurality of diagnosis codes linked with the patient procedure code in a user defined rank order after receiving the selection of the plurality of diagnosis codes" as recited in independent claim 84. None of the cited references, alone or in combination, teach "receiving a change in ordering of diagnosis codes within the plurality of diagnosis codes" as recited in independent claim 92. None of the cited references, alone or in combination teach "receiving a change in ordering of diagnosis codes from a user" as recited in independent claim 98. None of the cited references,

alone or in combination teach "using the user interface to reorder the plurality of diagnosis codes" as recited in independent claim 105.

Moreover, allowing a medical care provider to order the diagnosis codes provides an advantage of better documenting a patient encounter. For each procedure performed, the medical care provider has rank ordered the diagnose codes which provides additional insight into why each procedure was performed and thus captures information not captured in the cited prior art references thereby resulting in a code-driven medical reporting and billing system. None of the cited prior art references allow a medical care provider to rank order diagnosis codes after they are entered or recognize how this rank-ordering captures additional information that better documents the patient encounter for medical reporting or billing purposes in a code-driven manner.

It is therefore respectfully submitted that all pending rejections be withdrawn, as the claimed invention is patentably distinct over the cited prior art references.

Conclusion

This amendment accompanies the filing of a Request for Continued Examination (RCE). Please charge Deposit Account No. 26-0084 the amount of \$395.00 for the RCE per the attached transmittal. No other fees or extensions of time are believed to be due in connection with this amendment; however, consider this a request for any extension inadvertently omitted, and charge any additional fees to Deposit Account No. 26-0084.

Reconsideration and allowance is respectfully requested.

Respectfully submitted,

JEFFREY D HARTY, R. g. No. 40,639

MEKEE, VOORHEES & SEASE, P.L.C.

801 Grand Avenue, Suite 3200 Des Moines, Iowa 50309-2721

Phone No: (515) 288-3667 Fax No: (515) 288-1338 CUSTOMER NO: 22885

Attorneys of Record

- bjh -

Enclosures: DECLARATION OF INVENTOR, PETER V. BOESEN (Exhibits A-F)

PATENT



APPLICANT :

BOESEN, Peter V.

SERIAL NO

09/558,519

FILED

April 26, 2000

TITLE

POINT OF SERVICE BILLING AND RECORDS SYSTEM

Grp./A.U.

3626

Examiner

PASS, Natalie

Conf. No.

9687

Docket No.

P04179US00

DECLARATION OF INVENTOR, PETER V. BOESEN

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Madam:

- I, Peter V. Boesen, hereby declare the following:
- 1. I am the named inventor of the above-entitled patent application relating to a medical records and billing system.
- I am a Medical Doctor and the focus of my practice has been Pediatric
 Otolaryngology.
- 3. In approximately October/November of 1995, I purchased a device known as the MED-PAD from Medical Manager Corporation, a medical billing and records system software provider. A picture of the MED-PAD device is attached as Exhibit A to my Declaration. It is my understanding that the MED-PAD device was designed by Systems Plus, Inc. of Mountain View, California.
- 4. The MED-PAD device is a computer with a touch screen for receiving inputs from the user. The intended purpose of the device was to enter information about hospitalized patients, including a single applicable procedure and associated diagnosis codes.

- 5. To my knowledge, Medical Manager has not provided or sold another MED-PAD device, but provided the device for use in my medical practice. Unfortunately, my experience was that the device was unproven and unworkable. When first used in my practice in approximately October/November of 1995, it crashed our backend billing system. It caused numerous fatal system errors, requiring the work of multiple programmers to restore the integrity of our backend computer system. This required days of work. Recognizing the facts surrounding this system, it was evident the system had not been applied to application and was a work in progress. After restoring backend system integrity in the October/November time frame in 1995, which was a huge task, I designed features to allow the MED-PAD to function, albeit in a limited fashion, without crashing the backend computer system.
- 6. However, serious problems remained with the MED-PAD. For example, the MED-PAD would allow the user to enter the same diagnosis code multiple times for a patient encounter, which would result in claim rejection. There were also significant problems involved in linking one or more diagnosis codes to a particular procedure code. The user interface of MED-PAD allowed the user to enter a procedure code and a plurality of diagnosis codes with no visual representation on the user interface as to whether any particular diagnosis code was linked to a particular procedure code.
- 7. Attached as Exhibits B through F to my declaration are screen shots from the MED-PAD user interface. The names of living patients have been redacted. Exhibit B comprises the About MED-PAD screen, Main Menu screen and Patient Selection Screen.
- 8. Exhibit C is a screen shot of the Encounter Form Procedure Code Screen that shows a limited number of procedure codes capable of being entered. There was no way to determine on this screen whether more than one of the pre-set codes had been selected. Exhibit

D is a pre-set Encounter Form - Diagnosis screen. The user cannot tell whether a code not shown on the screen had been selected. There is a screen showing some selected diagnosis codes (Exhibit E) and there is a screen showing some selected procedure codes (Exhibit F), but there are no visual linkages between the types of procedure and diagnosis codes. Entering multiple procedure codes, as shown in Exhibit F (which overlays the screen in Exhibit C) serves to compound the problem. The user could only assume that certain diagnosis codes were linked to a particular procedure code, but there was nothing in the user interface to verify this, compounded further if more than one procedure had been selected. Although the diagnosis codes could be rank ordered in some fashion into the MED-PAD device as shown in Exhibit E, one had to assume that the "top" code was in the primary diagnosis code position. Linkage to procedure codes was still a critical problem. That is, the inability to ascertain the linkage of one or more diagnosis codes with a procedure code remained an insurmountable problem with the MED-PAD device. No summary of linkages was capable on the MED-PAD.


8. Use of the MED-PAD device in my medical practice was for purely private purposes. The MED-PAD was never used outside of my practice. Any computer programmers that I engaged to make changes and correct problems in functionality were working at my direction and signed appropriate confidentiality agreements. At all times, the MED-PAD device remained under my direct control and I regarded my use and continued efforts to improve the device as further experimentation. All modifications to the device were at my instruction and remained in my control.

The undersigned further declares that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the

like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application of any patent issuing thereon. While not believed relevant to patentability or this declaration, out of an abundance of caution in compliance with the duty of disclosure, I inform the PTO that since the filing of this application I have been convicted of medical fraud and perjury in an action captioned United States v. Boesen (S.D. Iowa), case No. 4:05-CV-00262-JEG. I vigorously maintain my innocence. The case is not yet final, but currently on appeal.

Date	6	-	7 -	27

Peter V. Boesen



HELDIN FIRST PHIL

TOW-OUR

田一丁一年 中十二日の · 神子でしてい か日本のの かになり

Minister of the Salata

Phone (415) 969-7047

EXHIBIT


Main Menu

E THE THE STATE OF THE STATE OF

Send to Medical Manager

Tools and Utilities

About Med-Pad



; r

that's apply about the latest the second



ERFRICHE CHANGE REAL STATES TO SERVICE REPORTS OF THE SERVICE REAL STATES AND THE SERVICES AND SERVICES AND THE SERVICES AND THE SERVICES AND THE SERVICES AND SE		Description Description Lass feet feet timetre One bearing of the t
ERFENCIAL OF FORMULA BY 12 (1) 15 FO TO FORMULA BY 12 (1) 15 FO TO FORMULA BY 13 (1) 15 FO TO FORMULA BY 13 (1) 15 FO TO FORMULA BY 14 (1) 15 FO TO FORMULA BY 15 (1) 15 FO TO FORMULA BY 15 (1) 15 FO FORMULA BY 15 (1) 15 FO FORMULA BY 15 FO		The part of th
10 10 10 10 10 10 10 10	FOCHS OF FEWERICS BEST -25% TO CLUSTED THE THAILUS BEST AND STREET SEED BEST AND STREET BEST A	FROM THE TRANSMERS BYTH - 25% TO THE THANTON BERTHER THANTON BY THE STREET BY THE STRE
ORNORS OF FOR THE STATE	OFFICIATION OFFICE FELLE STREET STREE	O THER DYSPER OND RESTREET O THER DYSPER OND RESTREET O THER DYSPER OND RESTREET OCUMA
COUGH	COURT OF STATES COURT	COUPPER DYSPMER OND RESTREET COUPPER COUPPER COUPPER CO
45.	185	19 19 19 19 19 19 19 19
\$72.9 \$72.0 \$72.	\$20.0	\$20.0 \$20.
TIS TIS TIS TIS TIS TIS TIS TIS	TIES	TIES STREET STREET STREET STREET STREET STREETS STREET STREETS
TIE BOUS CITIES WENTER CO. S. C.	TIE EROUS UTITIS WEIGHEN 12 St. FUNDER DE COLLINSE FUNDEN DE TITIS FERT ST. 24 FUNDEN DE TITIS EXTERNA U 386.19 ERIORA OF NICOLE EN 385.32 FRITON OF NICOLE EN 385.32	TIE BROWS (TITTS WENTER 12 12 12 12 12 12 12 12 12 12 12 12 12
FUDDID OFFICE FERT STATES FUDDID OFFICE FERT STATES FUDDING OFFICE FERT STATES FUDDING FOR FUND STATES FUDDING FUDDING FOR STATES FUDDING FUDDING FUDDING SS 389.18 FUDDING FUND FUND SS 389.18	EROUS UTITIS WERREN 15. ST. RUDON DE FOUR THE ST. ST. ST. FELLEN MERRING LOSS 389.18 WE OTITIS EXTERNA U 380.19 ERIOMA OF MIDDLE EN 385.32	FROUS UTITIS WEIGHS 12 ST. FUDDIE OFFICE FERT 52 21 FUDDIE OF THE DETTE 33 21 FUDDIE CHITS EXTERNA U 380.19 ENTONS OF MIDDLE EN 380.32 ENTONS OF MIDDLE EN 380.32 ENTONS OF MIDDLE EN 380.32
FUNDATION OF THE STREET STATES AND THE STREE	FUDDIED OF GREEN COLUMN 150 1 29 TESS PT FOLL	HICORD OF GREEN STEPS ST
		HE OFFICE OF STATES OF STA
THEOREM NEWRING LOSS 389.18 INCOMM. NEWRING LOSS 389.18 INCOMM. NEWRING LOSS 389.18	145 July 1 1 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	######################################
INCURM, NEHRING LOSS 389.18	INCURAL NEWRING LOSS 389.18 (1) INE OTITIS EXTERNA U 388.18 (1) ERIONA OF MIODIE EN 385.32 (1)	*E 01115 EXTERM U 380.18 (3 ERIONA OF NIONE EN 385.32 (4 ERIONA OF NIONE E
INE OTITIS EXTERNA U 380.10	THE OTHER EXTERNA U 388.18 G	ERICHMO OF MICOLE EN 385.32 (RENIEME'S DISERVE (1986) 18 (MICOLE EN 385.32 (MICOLE E
	ERIONA OF MICOLE ER 385.32	EALGNA OF MIDDLE EA 385.32 NEWISHE'S DISPLANCE AND ALL

EXHIBIT

TANK MANANE WAS TANK WORKED



الفياط إلى الإرواد الأواد الدعور الموادية الإرادية الإرا

日のこの日子の名前の衛

SIN SOM

Mumber

191 461

461

No.

AN CLIE STREET THE SHEET IN

Move Down

CONTO E

HI DIE

ES 315

Delete Highlighted Item

Move to Top

Move to Bot

Best Available Copy ி Number 99211

> ICE/OUTPAT ESTAB PAT () comprises

一位 原理學學 上於美国語

and Database March Transfer & Control

STATE OF THE PARTY OF THE PARTY

99212

EE # 18 100

日には出る

H OFFICE

R UFFILE

OST OF U

EXHIBIT

EAR OFFICE

tabbies